PAIN

Pain 130 (2007) 306–308

www.elsevier.com/locate/pain

Author Index to Volume 130 (2007)

Adams, N.C., see Torres, R., **130** 267
Anderson, K.D., see Torres, R., **130** 267
Ariëns, G.A.M., see Hamberg-van Reenen, H.H., **130** 93
Atlas, S.J., see Edwards, R.R., **130** 47
Aubel, B., see Kayser, V., **130** 235
Audette, J., see Napadow, V., **130** 254

Barclay, J., Clark, A.K., Ganju, P., Gentry, C., Patel, S., Wotherspoon, G., Buxton, F., Song, C., Ullah, J., Winter, J., Fox, A., Bevan, S., Malcangio, M., Role of the cysteine protease cathepsin S in neuropathic hyperalgesia, **130** 225
Belmonte, C., see Gomis, A., **130** 126
Benaim, C., Response to professor von Baeyer, **130** 197
Benoit, C., see Butler, S.F., **130** 144
Bevan, S., see Barclay, J., **130** 225
Bhat, S.V., see Reyes-Gibby, C.C., **130** 25
Biasi, G., see Huber, A., **130** 216
Blatter, B.M., see Hamberg-van Reenen, H.H., **130** 93
Bohm-Starke, N., see Johannesson, U., **130** 31
Bongers, P.M., see Hamberg-van Reenen, H.H., **130** 93
Bourgoin, S., see Kayser, V., **130** 235
Bousema, E.J., Verbunt, J.A., Seelen, H.A.M., Vlaeyen, J.W.S., Knottnerus, J.A., Disuse and physical deconditioning in the first year after the onset of back pain, **130** 279
Bradesi, S., Lao, L., McLean, P.G., Winchester, W.J., Lee, K., Hicks, G.A., Mayer, E.A., Dual role of 5-HT_3 receptors in a rat model of delayed stress-induced visceral hyperalgesia, **130** 56
Brodda Jansen, G., see Johannesson, U., **130** 31
Bruehl, S., Chung, O.Y., Burns, J.W., Diedrich, L., Trait anger expressiveness and pain-induced beta-endorphin release: Support for the opioid dysfunction hypothesis, **130** 208
Bruera, E., see Reyes-Gibby, C.C., **130** 25
Budman, S.H., see Butler, S.F., **130** 144
Buenaver, L., see Edwards, R.R., **130** 47
Burns, J.W., see Bruehl, S., **130** 208
Burstein, R., see Levy, D., **130** 166
Butler, S.F., Budman, S.H., Fernandez, K.C., Houle, B., Benoit, C., Katz, N., Jamison, R.N., Development and validation of the Current Opioid Misuse Measure, **130** 144
Buxton, F., see Barclay, J., **130** 225

Capone, J.G., see Tugnoli, V., **130** 76
Carli, G., see Huber, A., **130** 216
Chung, O.Y., see Bruehl, S., **130** 208
Clark, A.K., see Barclay, J., **130** 225
Courade, J.-P., see Wright-Williams, S.L., **130** 108
Croll, S.D., see Torres, R., **130** 267
Cui, L., see Khoromi, S., **130** 66
Cunha, T.M., Verri, W.A., Hydrogen sulfide, is it a promise analgesic drug or another inflammatory pain mediator?, **130** 300

Davis, K.D., see Seminowicz, D.A., **130** 8
Diedrich, L., see Bruehl, S., **130** 208
Dixon, D., Pollard, B., Johnston, M., What does the chronic pain grade questionnaire measure?, **130** 249

Edwards, R.R., Klick, B., Buenaver, L., Max, M.B., Haythornthwaite, J.A., Keller, R.B., Atlas, S.J., Symptoms of distress as prospective predictors of pain-related sciatica treatment outcomes, **130** 47
Eleopra, R., see Tugnoli, V., **130** 76
Elfassi, I.E., see Kayser, V., **130** 235

Fernandez, K.C., see Butler, S.F., **130** 144
Flecknell, P.A., see Wright-Williams, S.L., **130** 108
Fox, A., see Barclay, J., **130** 225
Furlan, A.D., Sjölund, B.H., Igniting the spark?, **130** 1

Ganju, P., see Barclay, J., **130** 225
Gastaldo, E., see Tugnoli, V., **130** 76
Gentry, C., see Barclay, J., **130** 225
Geppetti, P., see Tugnoli, V., **130** 76
Gingrich, J.A., see Kayser, V., **130** 235
Göbel, H., Authors' reply to the letter to the editor by Peter Reilich and Benedikt G.H. Schoser regarding the published article entitled "Efficacy and safety of a single botulinum type A toxin complex treatment (Dysport®) for the relief of upper back myofascial pain syndrome: Results from a randomised double-blind placebo-controlled multicentre study", Pain 2006;125:82–8., **130** 299
Goffaux, P., Redmond, W.J., Rainville, P., Marchand, S., Descending analgesia – When the spine echoes what the brain expects, **130** 137
Gomis, A., Miralles, A., Schmidt, R.F., Belmonte, C., Nociceptive nerve activity in an experimental model of knee joint osteoarthritis of the guinea pig: Effect of intra-articular hyaluronan application, **130** 126
Gowen, L., see Torres, R., **130** 267
Griffiths, J., see Torres, R., **130** 267
Grubb, B.D., see Mayer, S., **130** 14

Hamberg-van Reenen, H.H., Ariëns, G.A.M., Blatter, B.M., van Mechelen, W., Bongers, P.M., A systematic review of the relation between physical capacity and future low back and neck/shoulder pain, **130** 93
Hamon, M., see Kayser, V., **130** 235
Hansson, P., see Samuelsson, M., **130** 40
Haythornthwaite, J.A., see Edwards, R.R., **130** 47
Henningsen, P., see Schiltenwolf, M., **130** 303
Hicks, G.A., see Bradesi, S., **130** 56
Houle, B., see Butler, S.F., **130** 144
Huber, A., Suman, A.L., Rendo, C.A., Biasi, G., Marcolongo, R., Carli, G., Dimensions of "unidimensional" ratings of pain and emotions in patients with chronic musculoskeletal pain, **130** 216
Hui, K.K.S., see Napadow, V., **130** 254

doi:10.1016/S0304-3959(07)00337-5

PAIN

Pain 130 (2007) 306–308

www.elsevier.com/locate/pain

Author Index to Volume 130 (2007)

Adams, N.C., see Torres, R., **130** 267
Anderson, K.D., see Torres, R., **130** 267
Ariëns, G.A.M., see Hamberg-van Reenen, H.H., **130** 93
Atlas, S.J., see Edwards, R.R., **130** 47
Aubel, B., see Kayser, V., **130** 235
Audette, J., see Napadow, V., **130** 254

Barclay, J., Clark, A.K., Ganju, P., Gentry, C., Patel, S., Wotherspoon, G., Buxton, F., Song, C., Ullah, J., Winter, J., Fox, A., Bevan, S., Malcangio, M., Role of the cysteine protease cathepsin S in neuropathic hyperalgesia, **130** 225
Belmonte, C., see Gomis, A., **130** 126
Benaim, C., Response to professor von Baeyer, **130** 197
Benoit, C., see Butler, S.F., **130** 144
Bevan, S., see Barclay, J., **130** 225
Bhat, S.V., see Reyes-Gibby, C.C., **130** 25
Biasi, G., see Huber, A., **130** 216
Blatter, B.M., see Hamberg-van Reenen, H.H., **130** 93
Bohm-Starke, N., see Johannesson, U., **130** 31
Bongers, P.M., see Hamberg-van Reenen, H.H., **130** 93
Bourgoin, S., see Kayser, V., **130** 235
Bousema, E.J., Verbunt, J.A., Seelen, H.A.M., Vlaeyen, J.W.S., Knottnerus, J.A., Disuse and physical deconditioning in the first year after the onset of back pain, **130** 279
Bradesi, S., Lao, L., McLean, P.G., Winchester, W.J., Lee, K., Hicks, G.A., Mayer, E.A., Dual role of 5-HT_3 receptors in a rat model of delayed stress-induced visceral hyperalgesia, **130** 56
Brodda Jansen, G., see Johannesson, U., **130** 31
Bruehl, S., Chung, O.Y., Burns, J.W., Diedrich, L., Trait anger expressiveness and pain-induced beta-endorphin release: Support for the opioid dysfunction hypothesis, **130** 208
Bruera, E., see Reyes-Gibby, C.C., **130** 25
Budman, S.H., see Butler, S.F., **130** 144
Buenaver, L., see Edwards, R.R., **130** 47
Burns, J.W., see Bruehl, S., **130** 208
Burstein, R., see Levy, D., **130** 166
Butler, S.F., Budman, S.H., Fernandez, K.C., Houle, B., Benoit, C., Katz, N., Jamison, R.N., Development and validation of the Current Opioid Misuse Measure, **130** 144
Buxton, F., see Barclay, J., **130** 225

Capone, J.G., see Tugnoli, V., **130** 76
Carli, G., see Huber, A., **130** 216
Chung, O.Y., see Bruehl, S., **130** 208
Clark, A.K., see Barclay, J., **130** 225
Courade, J.-P., see Wright-Williams, S.L., **130** 108
Croll, S.D., see Torres, R., **130** 267
Cui, L., see Khoromi, S., **130** 66
Cunha, T.M., Verri, W.A., Hydrogen sulfide, is it a promise analgesic drug or another inflammatory pain mediator?, **130** 300

Davis, K.D., see Seminowicz, D.A., **130** 8
Diedrich, L., see Bruehl, S., **130** 208
Dixon, D., Pollard, B., Johnston, M., What does the chronic pain grade questionnaire measure?, **130** 249

Edwards, R.R., Klick, B., Buenaver, L., Max, M.B., Haythornthwaite, J.A., Keller, R.B., Atlas, S.J., Symptoms of distress as prospective predictors of pain-related sciatica treatment outcomes, **130** 47
Eleopra, R., see Tugnoli, V., **130** 76
Elfassi, I.E., see Kayser, V., **130** 235

Fernandez, K.C., see Butler, S.F., **130** 144
Flecknell, P.A., see Wright-Williams, S.L., **130** 108
Fox, A., see Barclay, J., **130** 225
Furlan, A.D., Sjölund, B.H., Igniting the spark?, **130** 1

Ganju, P., see Barclay, J., **130** 225
Gastaldo, E., see Tugnoli, V., **130** 76
Gentry, C., see Barclay, J., **130** 225
Geppetti, P., see Tugnoli, V., **130** 76
Gingrich, J.A., see Kayser, V., **130** 235
Göbel, H., Authors' reply to the letter to the editor by Peter Reilich and Benedikt G.H. Schoser regarding the published article entitled "Efficacy and safety of a single botulinum type A toxin complex treatment (Dysport®) for the relief of upper back myofascial pain syndrome: Results from a randomised double-blind placebo-controlled multicentre study", Pain 2006;125:82–8., **130** 299
Goffaux, P., Redmond, W.J., Rainville, P., Marchand, S., Descending analgesia – When the spine echoes what the brain expects, **130** 137
Gomis, A., Miralles, A., Schmidt, R.F., Belmonte, C., Nociceptive nerve activity in an experimental model of knee joint osteoarthritis of the guinea pig: Effect of intra-articular hyaluronan application, **130** 126
Gowen, L., see Torres, R., **130** 267
Griffiths, J., see Torres, R., **130** 267
Grubb, B.D., see Mayer, S., **130** 14

Hamberg-van Reenen, H.H., Ariëns, G.A.M., Blatter, B.M., van Mechelen, W., Bongers, P.M., A systematic review of the relation between physical capacity and future low back and neck/shoulder pain, **130** 93
Hamon, M., see Kayser, V., **130** 235
Hansson, P., see Samuelsson, M., **130** 40
Haythornthwaite, J.A., see Edwards, R.R., **130** 47
Henningsen, P., see Schiltenwolf, M., **130** 303
Hicks, G.A., see Bradesi, S., **130** 56
Houle, B., see Butler, S.F., **130** 144
Huber, A., Suman, A.L., Rendo, C.A., Biasi, G., Marcolongo, R., Carli, G., Dimensions of "unidimensional" ratings of pain and emotions in patients with chronic musculoskeletal pain, **130** 216
Hui, K.K.S., see Napadow, V., **130** 254

doi:10.1016/S0304-3959(07)00337-5

Izydorczyk, I., see Mayer, S., **130** 14

Jakubowski, M., see Levy, D., **130** 166
Jamison, R.N., see Butler, S.F., **130** 144
Johannesson, U., Nygren de Boussard, C., Brodda Jansen, G., Bohm-Starke, N., Evidence of diffuse noxious inhibitory controls (DNIC) elicited by cold noxious stimulation in patients with provoked vestibulodynia, **130** 31
Johansson, B., see Samuelsson, M., **130** 40
Johnson, M., Martinson, M., Efficacy of electrical nerve stimulation for chronic musculoskeletal pain: A meta-analysis of randomized controlled trials, **130** 157
Johnston, M., see Dixon, D., **130** 249
Julius, D., see Kayser, V., **130** 235

Kaasa, S., see Reyes-Gibby, C.C., **130** 25
Kainz, V., see Levy, D., **130** 166
Karmarkar, A., New advances in pathophysiology of PHN: Are they clinically relevant?, **130** 195
Katz, N., see Butler, S.F., **130** 144
Kawabata, A., Roles for H_2S in pain processing: Response to Cunha and Verri, **130** 302
Kayser, V., Elfassi, I.E., Aubel, B., Melfort, M., Julius, D., Gingrich, J.A., Hamon, M., Bourgoin, S., Mechanical, thermal and formalin-induced nociception is differentially altered in 5-HT_{1A}−/−, 5-HT_{1B}−/−, 5-HT_{2A}−/−, 5-HT_{3A}−/− and 5-HTT−/− knock-out male mice, **130** 235
Keller, R.B., see Edwards, R.R., **130** 47
Kettner, N., see Napadow, V., **130** 254
Khoromi, S., Cui, L., Nackers, L., Max, M.B., Morphine, nortriptyline and their combination vs. placebo in patients with chronic lumbar root pain, **130** 66
Klepstad, P., see Reyes-Gibby, C.C., **130** 25
Klick, B., see Edwards, R.R., **130** 47
Knottnerus, J.A., see Bousema, E.J., **130** 279
Koo, E., see Staud, R., **130** 177
Kwong, K.K., see Napadow, V., **130** 254

Lao, L., see Bradesi, S., **130** 56
Laska, E., Abraham Sunshine. January 3, 1928–January 2, 2007, **130** 199
Lee, K., see Bradesi, S., **130** 56
Leffler, A.-S., see Samuelsson, M., **130** 40
Levy, D., Burstein, R., Kainz, V., Jakubowski, M., Strassman, A.M., Mast cell degranulation activates a pain pathway underlying migraine headache, **130** 166
Li, M., see Napadow, V., **130** 254
Liu, J., see Napadow, V., **130** 254

Makris, N., see Napadow, V., **130** 254
Malcangio, M., see Barclay, J., **130** 225
Marchand, S., see Goffaux, P., **130** 137
Marcolongo, R., see Huber, A., **130** 216
Marinus, J., see van Rijn, M.A., **130** 287
Martinson, M., see Johnson, M., **130** 157
Max, M.B., see Edwards, R.R., **130** 47
Max, M.B., see Khoromi, S., **130** 66
Mayer, E.A., see Bradesi, S., **130** 56
Mayer, S., Izydorczyk, I., Reeh, P.W., Grubb, B.D., Bradykinin-induced nociceptor sensitisation to heat depends on cox-1 and cox-2 in isolated rat skin, **130** 14
McCracken, L.M., Samuel, V.M., The role of avoidance, pacing, and other activity patterns in chronic pain, **130** 119
McLean, P.G., see Bradesi, S., **130** 56
Melfort, M., see Kayser, V., **130** 235
Miralles, A., see Gomis, A., **130** 126
Morley, S., see Pincus, T., **130** 84
Moseley, G.L., Using visual illusion to reduce at-level neuropathic pain in paraplegia, **130** 294
Murphy, A.J., see Torres, R., **130** 267

Nackers, L., see Khoromi, S., **130** 66
Napadow, V., Kettner, N., Liu, J., Li, M., Kwong, K.K., Vangel, M., Makris, N., Audette, J., Hui, K.K.S., Hypothalamus and amygdala response to acupuncture stimuli in carpal tunnel syndrome, **130** 254
Nicassio, P.M., Understanding the role and significance of gender differences in pain and depression in Chinese elders with osteoarthritis, **130** 6
Nygren de Boussard, C., see Johannesson, U., **130** 31

Patel, S., see Barclay, J., **130** 225
Pincus, T., Santos, R., Morley, S., Depressed cognitions in chronic pain patients are focused on health: Evidence from a sentence completion task, **130** 84
Pollard, B., see Dixon, D., **130** 249
Price, D.D., see Staud, R., **130** 177
Putter, H., see van Rijn, M.A., **130** 287

Quatrale, R., see Tugnoli, V., **130** 76

Rainville, P., see Goffaux, P., **130** 137
Rakvåg, T., see Reyes-Gibby, C.C., **130** 25
Redmond, W.J., see Goffaux, P., **130** 137
Reeh, P.W., see Mayer, S., **130** 14
Reilich, P., Schoser, B.G.H., Accuracy of botulinum toxin injections in myofascial pain. Response to Gobel et al. Pain 2006;125:82–8, **130** 299
Reinhardt, J., see Torres, R., **130** 267
Rendo, C.A., see Huber, A., **130** 216
Reyes-Gibby, C.C., Shete, S., Rakvåg, T., Bhat, S.V., Skorpen, F., Bruera, E., Kaasa, S., Klepstad, P., Exploring joint effects of genes and the clinical efficacy of morphine for cancer pain: *OPRM1* and *COMT* gene, **130** 25
Richardson, C.A., see Wright-Williams, S.L., **130** 108
Robinson, M.E., see Staud, R., **130** 177
Roughan, J.V., see Wright-Williams, S.L., **130** 108

Samuel, V.M., see McCracken, L.M., **130** 119
Samuelsson, M., Leffler, A.-S., Johansson, B., Hansson, P., On the repeatability of brush-evoked allodynia using a novel semi-quantitative method in patients with peripheral neuropathic pain, **130** 40
Santos, R., see Pincus, T., **130** 84
Schiltenwolf, M., Henningsen, P., What makes FM-pain?, **130** 303
Schmidt, R.F., see Gomis, A., **130** 126
Schoser, B.G.H., see Reilich, P., **130** 299
Schott, G.D., Peripherally-triggered CRPS and dystonia, **130** 203
Seelen, H.A.M., see Bousema, E.J., **130** 279
Seminowicz, D.A., Davis, K.D., A re-examination of pain–cognition interactions: Implications for neuroimaging, **130** 8
Sensi, M., see Tugnoli, V., **130** 76
Shete, S., see Reyes-Gibby, C.C., **130** 25
Sjölund, B.H., see Furlan, A.D., **130** 1
Skorpen, F., see Reyes-Gibby, C.C., **130** 25
Sleeman, M.W., see Torres, R., **130** 267
Smeets, R.J.E.M., Wittink, H., The deconditioning paradigm for chronic low back pain unmasked?, **130** 201
Song, C., see Barclay, J., **130** 225
Staud, R., Koo, E., Robinson, M.E., Price, D.D., Spatial summation of mechanically evoked muscle pain and painful aftersensations in normal subjects and fibromyalgia patients, **130** 177
Strassman, A.M., see Levy, D., **130** 166
Suman, A.L., see Huber, A., **130** 216

Tola, M.R., see Tugnoli, V., **130** 76
Torres, R., Croll, S.D., Vercollone, J., Reinhardt, J., Griffiths, J., Zabski, S., Anderson, K.D., Adams, N.C., Gowen, L., Sleeman, M.W., Valenzuela, D.M., Wiegand, S.J., Yancopoulos, G.D., Murphy, A.J., Mice genetically deficient in neuromedin U receptor 2, but not neuromedin U receptor 1, have impaired nociceptive responses, **130** 267
Tsai, Y.-F., Gender differences in pain and depressive tendency among Chinese elders with knee osteoarthritis, **130** 188
Tugnoli, V., Capone, J.G., Eleopra, R., Quatrale, R., Sensi, M., Gastaldo, E., Tola, M.R., Geppetti, P., Botulinum Toxin type A reduces capsaicin-evoked pain and neurogenic vasodilatation in human skin, **130** 76

Ullah, J., see Barclay, J., **130** 225

Valenzuela, D.M., see Torres, R., **130** 267
van Hilten, J.J., see van Rijn, M.A., **130** 287
van Mechelen, W., see Hamberg-van Reenen, H.H., **130** 93
van Rijn, M.A., Marinus, J., Putter, H., van Hilten, J.J., Onset and progression of dystonia in Complex Regional Pain Syndrome, **130** 287
Vangel, M., see Napadow, V., **130** 254
Verbunt, J.A., see Bousema, E.J., **130** 279
Vercollone, J., see Torres, R., **130** 267
Verri, W.A., see Cunha, T.M., **130** 300
Vierck, C.J., Response to the Letter to the Editor of PAIN by M. Schiltenwolf and P. Henningsen, **130** 303
Vlaeyen, J.W.S., see Bousema, E.J., **130** 279
von Baeyer, C.L., Advisory regarding Faces Pain Scale, **130** 196

Wiegand, S.J., see Torres, R., **130** 267
Winchester, W.J., see Bradesi, S., **130** 56
Winter, J., see Barclay, J., **130** 225
Wittink, H., see Smeets, R.J.E.M., **130** 201
Wotherspoon, G., see Barclay, J., **130** 225
Wright-Williams, S.L., Courade, J.-P., Richardson, C.A., Roughan, J.V., Flecknell, P.A., Effects of vasectomy surgery and meloxicam treatment on faecal corticosterone levels and behaviour in two strains of laboratory mouse, **130** 108

Yancopoulos, G.D., see Torres, R., **130** 267
Yarnitsky, D., What do pressure pipes tell us about spatial summation in pain processing, **130** 4

Zabski, S., see Torres, R., **130** 267

Pain 130 (2007) 309–313

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 130 (2007)

Aberrant drug behaviors
Development and validation of the Current Opioid Misuse Measure, **130**, 144
Acceptance
The role of avoidance, pacing, and other activity patterns in chronic pain, **130**, 119
Addiction
Development and validation of the Current Opioid Misuse Measure, **130**, 144
Afferent
Bradykinin-induced nociceptor sensitisation to heat depends on cox-1 and cox-2 in isolated rat skin, **130**, 14
Aftersensations
Spatial summation of mechanically evoked muscle pain and painful aftersensations in normal subjects and fibromyalgia patients, **130**, 177
Allodynia
Role of the cysteine protease cathepsin S in neuropathic hyperalgesia, **130**, 225
ALTENS, acupuncture-like TENS
Efficacy of electrical nerve stimulation for chronic musculoskeletal pain: A meta-analysis of randomized controlled trials, **130**, 157
Anger expression
Trait anger expressiveness and pain-induced beta-endorphin release: Support for the opioid dysfunction hypothesis, **130**, 208
Anger-in
Trait anger expressiveness and pain-induced beta-endorphin release: Support for the opioid dysfunction hypothesis, **130**, 208
Anger-out
Trait anger expressiveness and pain-induced beta-endorphin release: Support for the opioid dysfunction hypothesis, **130**, 208
Animal models
Nociceptive nerve activity in an experimental model of knee joint osteoarthritis of the guinea pig: Effect of intra-articular hyaluronan application, **130**, 126
Attention
A re-examination of pain–cognition interactions: Implications for neuroimaging, **130**, 8
Avoidance
The role of avoidance, pacing, and other activity patterns in chronic pain, **130**, 119
Beta-endorphin
Trait anger expressiveness and pain-induced beta-endorphin release: Support for the opioid dysfunction hypothesis, **130**, 208
Botulinum toxin
Botulinum Toxin type A reduces capsaicin-evoked pain and neurogenic vasodilatation in human skin, **130**, 76
Brain
Descending analgesia – When the spine echoes what the brain expects, **130**, 137
Brain
Hypothalamus and amygdala response to acupuncture stimuli in carpal tunnel syndrome, **130**, 254
Brush-evoked pain
On the repeatability of brush-evoked allodynia using a novel semi-quantitative method in patients with peripheral neuropathic pain, **130**, 40
Cancer
Exploring joint effects of genes and the clinical efficacy of morphine for cancer pain: *OPRM1* and *COMT* gene, **130**, 25
Capsaicin
Botulinum Toxin type A reduces capsaicin-evoked pain and neurogenic vasodilatation in human skin, **130**, 76
Capsaicin
Mice genetically deficient in neuromedin U receptor 2, but not neuromedin U receptor 1, have impaired nociceptive responses, **130**, 267
CFA
Mice genetically deficient in neuromedin U receptor 2, but not neuromedin U receptor 1, have impaired nociceptive responses, **130**, 267
Chronic low back pain
Disuse and physical deconditioning in the first year after the onset of back pain, **130**, 279
Chronic pain
Development and validation of the Current Opioid Misuse Measure, **130**, 144
Chronic pain
Efficacy of electrical nerve stimulation for chronic musculoskeletal pain: A meta-analysis of randomized controlled trials, **130**, 157
Chronic pain
Spatial summation of mechanically evoked muscle pain and painful aftersensations in normal subjects and fibromyalgia patients, **130**, 177
Chronic pain
The role of avoidance, pacing, and other activity patterns in chronic pain, **130**, 119
Chronic pain
Dimensions of "unidimensional" ratings of pain and emotions in patients with chronic musculoskeletal pain, **130**, 216
Chronic pain
Hypothalamus and amygdala response to acupuncture stimuli in carpal tunnel syndrome, **130**, 254
Chronic pain grade questionnaire
What does the chronic pain grade questionnaire measure?, **130**, 249
Chronic sciatica
Morphine, nortriptyline and their combination vs. placebo in patients with chronic lumbar root pain, **130**, 66
Clinical trial
Morphine, nortriptyline and their combination vs. placebo in patients with chronic lumbar root pain, **130**, 66

doi:10.1016/S0304-3959(07)00338-7

Cognition
A re-examination of pain–cognition interactions: Implications for neuroimaging, **130**, 8
Cognitive bias
Depressed cognitions in chronic pain patients are focused on health: Evidence from a sentence completion task, **130**, 84
Cognitive-behavioral approaches
The role of avoidance, pacing, and other activity patterns in chronic pain, **130**, 119
Cold pressor pain
Evidence of diffuse noxious inhibitory controls (DNIC) elicited by cold noxious stimulation in patients with provoked vestibulodynia, **130**, 31
Combined oral contraceptives
Evidence of diffuse noxious inhibitory controls (DNIC) elicited by cold noxious stimulation in patients with provoked vestibulodynia, **130**, 31
Complementary and alternative medicine
Hypothalamus and amygdala response to acupuncture stimuli in carpal tunnel syndrome, **130**, 254
Complex regional pain syndrome
Onset and progression of dystonia in complex regional pain syndrome, **130**, 287
Cortex
A re-examination of pain–cognition interactions: Implications for neuroimaging, **130**, 8
Corticosterone
Effects of vasectomy surgery and meloxicam treatment on faecal corticosterone levels and behaviour in two strains of laboratory mouse, **130**, 108
CRPS
Peripherally-triggered CRPS and dystonia, **130**, 203
Cysteine proteases
Role of the cysteine protease cathepsin S in neuropathic hyperalgesia, **130**, 225
Depression
Depressed cognitions in chronic pain patients are focused on health: Evidence from a sentence completion task, **130**, 84
Depressive symptoms
Gender differences in pain and depressive tendency among Chinese elders with knee osteoarthritis, **130**, 188
Dermatome
Spatial summation of mechanically evoked muscle pain and painful aftersensations in normal subjects and fibromyalgia patients, **130**, 177
Disability
Symptoms of distress as prospective predictors of pain-related sciatica treatment outcomes, **130**, 47
Discectomy
Symptoms of distress as prospective predictors of pain-related sciatica treatment outcomes, **130**, 47
Discriminant content validation
What does the chronic pain grade questionnaire measure?, **130**, 249
Distress
Symptoms of distress as prospective predictors of pain-related sciatica treatment outcomes, **130**, 47
Disuse
Disuse and physical deconditioning in the first year after the onset of back pain, **130**, 279
DNIC
Descending analgesia – When the spine echoes what the brain expects, **130**, 137
DNIC
Evidence of diffuse noxious inhibitory controls (DNIC) elicited by cold noxious stimulation in patients with provoked vestibulodynia, **130**, 31
Dura
Mast cell degranulation activates a pain pathway underlying migraine headache, **130**, 166
Dynamic mechanical allodynia
On the repeatability of brush-evoked allodynia using a novel semi-quantitative method in patients with peripheral neuropathic pain, **130**, 40
Dystonia
Onset and progression of dystonia in complex regional pain syndrome, **130**, 287
Dystonia
Peripherally-triggered CRPS and dystonia, **130**, 203
Elastoviscous solution
Nociceptive nerve activity in an experimental model of knee joint osteoarthritis of the guinea pig: Effect of intra-articular hyaluronan application, **130**, 126
Elders
Gender differences in pain and depressive tendency among Chinese elders with knee osteoarthritis, **130**, 188
Endogenous pain modulation
Evidence of diffuse noxious inhibitory controls (DNIC) elicited by cold noxious stimulation in patients with provoked vestibulodynia, **130**, 31
Epidemiology
Exploring joint effects of genes and the clinical efficacy of morphine for cancer pain: *OPRM1* and *COMT* gene, **130**, 25
Expectations
Descending analgesia – When the spine echoes what the brain expects, **130**, 137
Fibromyalgia
Spatial summation of mechanically evoked muscle pain and painful aftersensations in normal subjects and fibromyalgia patients, **130**, 177
Fibromyalgia
Dimensions of "unidimensional" ratings of pain and emotions in patients with chronic musculoskeletal pain, **130**, 216
Formalin
Mice genetically deficient in neuromedin U receptor 2, but not neuromedin U receptor 1, have impaired nociceptive responses, **130**, 267
Genetic
Exploring joint effects of genes and the clinical efficacy of morphine for cancer pain: *OPRM1* and *COMT* gene, **130**, 25
5-HT receptors
Mechanical, thermal and formalin-induced nociception is differentially altered in 5-HT_{1A}−/−, 5-HT_{1B}−/−, 5-HT_{2A}−/−, 5-HT_{3A}−/− and 5-HTT−/− knock-out male mice, **130**, 235
5-HT transporter
Mechanical, thermal and formalin-induced nociception is differentially altered in 5-HT_{1A}−/−, 5-HT_{1B}−/−, 5-HT_{2A}−/−, 5-HT_{3A}−/− and 5-HTT−/− knock-out male mice, **130**, 235
5-HT_3 receptors
Dual role of 5-HT_3 receptors in a rat model of delayed stress-induced visceral hyperalgesia, **130**, 56
Health outcome measures
What does the chronic pain grade questionnaire measure?, **130**, 249
Hyaluronan
Nociceptive nerve activity in an experimental model of knee joint osteoarthritis of the guinea pig: Effect of intra-articular hyaluronan application, **130**, 126
Hylan
Nociceptive nerve activity in an experimental model of knee joint osteoarthritis of the guinea pig: Effect of intra-articular hyaluronan application, **130**, 126
Hyperalgesia
Bradykinin-induced nociceptor sensitisation to heat depends on cox-1 and cox-2 in isolated rat skin, **130**, 14

Hyperalgesia
Dual role of 5-HT_3 receptors in a rat model of delayed stress-induced visceral hyperalgesia, **130**, 56
Hyperalgesia
Role of the cysteine protease cathepsin S in neuropathic hyperalgesia, **130**, 225
ICF
What does the chronic pain grade questionnaire measure?, **130**, 249
Imaging
A re-examination of pain–cognition interactions: Implications for neuroimaging, **130**, 8
Joint effects
Exploring joint effects of genes and the clinical efficacy of morphine for cancer pain: *OPRM1* and *COMT* gene, **130**, 25
Knock-out mice
Mechanical, thermal and formalin-induced nociception is differentially altered in 5-HT_{1A}−/−, 5-HT_{1B}−/−, 5-HT_{2A}−/−, 5-HT_{3A}−/− and 5-HTT−/− knock-out male mice, **130**, 235
Limbic
Hypothalamus and amygdala response to acupuncture stimuli in carpal tunnel syndrome, **130**, 254
Longitudinal cohort
Disuse and physical deconditioning in the first year after the onset of back pain, **130**, 279
Low back pain
A systematic review of the relation between physical capacity and future low back and neck/shoulder pain, **130**, 93
Lumbar radicular pain
Morphine, nortriptyline and their combination vs. placebo in patients with chronic lumbar root pain, **130**, 66
Macrophages
Role of the cysteine protease cathepsin S in neuropathic hyperalgesia, **130**, 225
Mast cells
Mast cell degranulation activates a pain pathway underlying migraine headache, **130**, 166
Mechanical
Spatial summation of mechanically evoked muscle pain and painful aftersensations in normal subjects and fibromyalgia patients, **130**, 177
Meloxicam
Effects of vasectomy surgery and meloxicam treatment on faecal corticosterone levels and behaviour in two strains of laboratory mouse, **130**, 108
Meningeal nociceptors
Mast cell degranulation activates a pain pathway underlying migraine headache, **130**, 166
Meta-analysis
Efficacy of electrical nerve stimulation for chronic musculoskeletal pain: A meta-analysis of randomized controlled trials, **130**, 157
Mice
Effects of vasectomy surgery and meloxicam treatment on faecal corticosterone levels and behaviour in two strains of laboratory mouse, **130**, 108
Migraine headache
Mast cell degranulation activates a pain pathway underlying migraine headache, **130**, 166
Mood
Symptoms of distress as prospective predictors of pain-related sciatica treatment outcomes, **130**, 47
Movement disorders
Onset and progression of dystonia in complex regional pain syndrome, **130**, 287
Multidimensional affect and pain survey (MAPS)
Dimensions of "unidimensional" ratings of pain and emotions in patients with chronic musculoskeletal pain, **130**, 216
Multiple meta-regression
Efficacy of electrical nerve stimulation for chronic musculoskeletal pain: A meta-analysis of randomized controlled trials, **130**, 157
Musculoskeletal pain
Efficacy of electrical nerve stimulation for chronic musculoskeletal pain: A meta-analysis of randomized controlled trials, **130**, 157
Neck/shoulder pain
A systematic review of the relation between physical capacity and future low back and neck/shoulder pain, **130**, 93
Neurogenic inflammation
Botulinum Toxin type A reduces capsaicin-evoked pain and neurogenic vasodilatation in human skin, **130**, 76
Neuromedin U
Mice genetically deficient in neuromedin U receptor 2, but not neuromedin U receptor 1, have impaired nociceptive responses, **130**, 267
Neuropathic pain
On the repeatability of brush-evoked allodynia using a novel semi-quantitative method in patients with peripheral neuropathic pain, **130**, 40
Neuropathic pain
Using visual illusion to reduce at-level neuropathic pain in paraplegia, **130**, 294
Neuroplasticity
Onset and progression of dystonia in complex regional pain syndrome, **130**, 287
NMUR1
Mice genetically deficient in neuromedin U receptor 2, but not neuromedin U receptor 1, have impaired nociceptive responses, **130**, 267
NMUR2
Mice genetically deficient in neuromedin U receptor 2, but not neuromedin U receptor 1, have impaired nociceptive responses, **130**, 267
Nociceptive tests
Mechanical, thermal and formalin-induced nociception is differentially altered in 5-HT_{1A}−/−, 5-HT_{1B}−/−, 5-HT_{2A}−/−, 5-HT_{3A}−/− and 5-HTT−/− knock-out male mice, **130**, 235
Nociceptors
Nociceptive nerve activity in an experimental model of knee joint osteoarthritis of the guinea pig: Effect of intra-articular hyaluronan application, **130**, 126
NSAIDs
Bradykinin-induced nociceptor sensitisation to heat depends on cox-1 and cox-2 in isolated rat skin, **130**, 14
Opioid
Exploring joint effects of genes and the clinical efficacy of morphine for cancer pain: *OPRM1* and *COMT* gene, **130**, 25
Opioids
Development and validation of the Current Opioid Misuse Measure, **130**, 144
Opioids
Morphine, nortriptyline and their combination vs. placebo in patients with chronic lumbar root pain, **130**, 66
Opioids
Trait anger expressiveness and pain-induced beta-endorphin release: Support for the opioid dysfunction hypothesis, **130**, 208
Osteoarthritis
Gender differences in pain and depressive tendency among Chinese elders with knee osteoarthritis, **130**, 188
Osteoarthritis
Nociceptive nerve activity in an experimental model of knee joint osteoarthritis of the guinea pig: Effect of intra-articular hyaluronan application, **130**, 126
Pacing
The role of avoidance, pacing, and other activity patterns in chronic pain, **130**, 119

Pain
Botulinum Toxin type A reduces capsaicin-evoked pain and neurogenic vasodilatation in human skin, **130**, 76
Pain
Bradykinin-induced nociceptor sensitisation to heat depends on cox-1 and cox-2 in isolated rat skin, **130**, 14
Pain
Depressed cognitions in chronic pain patients are focused on health: Evidence from a sentence completion task, **130**, 84
Pain
Effects of vasectomy surgery and meloxicam treatment on faecal corticosterone levels and behaviour in two strains of laboratory mouse, **130**, 108
Pain
Exploring joint effects of genes and the clinical efficacy of morphine for cancer pain: *OPRM1* and *COMT* gene, **130**, 25
Pain
Gender differences in pain and depressive tendency among Chinese elders with knee osteoarthritis, **130**, 188
Pain
Nociceptive nerve activity in an experimental model of knee joint osteoarthritis of the guinea pig: Effect of intra-articular hyaluronan application, **130**, 126
Pain
Symptoms of distress as prospective predictors of pain-related sciatica treatment outcomes, **130**, 47
Pain
Trait anger expressiveness and pain-induced beta-endorphin release: Support for the opioid dysfunction hypothesis, **130**, 208
Pain measurement
Dimensions of "unidimensional" ratings of pain and emotions in patients with chronic musculoskeletal pain, **130**, 216
Pain report validity
Dimensions of "unidimensional" ratings of pain and emotions in patients with chronic musculoskeletal pain, **130**, 216
Paralysis
Using visual illusion to reduce at-level neuropathic pain in paraplegia, **130**, 294
PENS, percutaneous electrical nerve stimulation
Efficacy of electrical nerve stimulation for chronic musculoskeletal pain: A meta-analysis of randomized controlled trials, **130**, 157
Peripheral trauma
Onset and progression of dystonia in complex regional pain syndrome, **130**, 287
Peripherally-triggered
Peripherally-triggered CRPS and dystonia, **130**, 203
Physical activity
Disuse and physical deconditioning in the first year after the onset of back pain, **130**, 279
Physical capacity
A systematic review of the relation between physical capacity and future low back and neck/shoulder pain, **130**, 93
Physical deconditioning
Disuse and physical deconditioning in the first year after the onset of back pain, **130**, 279
Physical therapy
Using visual illusion to reduce at-level neuropathic pain in paraplegia, **130**, 294
Power
Efficacy of electrical nerve stimulation for chronic musculoskeletal pain: A meta-analysis of randomized controlled trials, **130**, 157
Predictor
A systematic review of the relation between physical capacity and future low back and neck/shoulder pain, **130**, 93
Pressure pain thresholds
Evidence of diffuse noxious inhibitory controls (DNIC) elicited by cold noxious stimulation in patients with provoked vestibulodynia, **130**, 31
Prostaglandins
Bradykinin-induced nociceptor sensitisation to heat depends on cox-1 and cox-2 in isolated rat skin, **130**, 14
Provoked vestibulodynia
Evidence of diffuse noxious inhibitory controls (DNIC) elicited by cold noxious stimulation in patients with provoked vestibulodynia, **130**, 31
Psychosocial
Symptoms of distress as prospective predictors of pain-related sciatica treatment outcomes, **130**, 47
Random-effects model
Efficacy of electrical nerve stimulation for chronic musculoskeletal pain: A meta-analysis of randomized controlled trials, **130**, 157
Rat
Bradykinin-induced nociceptor sensitisation to heat depends on cox-1 and cox-2 in isolated rat skin, **130**, 14
Rating scales
Dimensions of "unidimensional" ratings of pain and emotions in patients with chronic musculoskeletal pain, **130**, 216
Repeatability
On the repeatability of brush-evoked allodynia using a novel semi-quantitative method in patients with peripheral neuropathic pain, **130**, 40
RIII
Descending analgesia – When the spine echoes what the brain expects, **130**, 137
Sciatica
Symptoms of distress as prospective predictors of pain-related sciatica treatment outcomes, **130**, 47
Sensory neurons
Role of the cysteine protease cathepsin S in neuropathic hyperalgesia, **130**, 225
Sensory-motor incongruence
Using visual illusion to reduce at-level neuropathic pain in paraplegia, **130**, 294
Sentence completion
Depressed cognitions in chronic pain patients are focused on health: Evidence from a sentence completion task, **130**, 84
SEP
Descending analgesia – When the spine echoes what the brain expects, **130**, 137
Serotonin
Mechanical, thermal and formalin-induced nociception is differentially altered in 5-HT_{1A}−/−, 5-HT_{1B}−/−, 5-HT_{2A}−/−, 5-HT_{3A}−/− and 5-HTT−/− knock-out male mice, **130**, 235
Spatial summation
Spatial summation of mechanically evoked muscle pain and painful aftersensations in normal subjects and fibromyalgia patients, **130**, 177
Spinal cord injury
Using visual illusion to reduce at-level neuropathic pain in paraplegia, **130**, 294
Spine
Descending analgesia – When the spine echoes what the brain expects, **130**, 137
Stress
Dual role of 5-HT_3 receptors in a rat model of delayed stress-induced visceral hyperalgesia, **130**, 56
Stress
Effects of vasectomy surgery and meloxicam treatment on faecal corticosterone levels and behaviour in two strains of laboratory mouse, **130**, 108
Substance abuse
Development and validation of the Current Opioid Misuse Measure, **130**, 144

Systematic review
A systematic review of the relation between physical capacity and future low back and neck/shoulder pain, **130**, 93
TENS, transcutaneous electrical nerve stimulation
Efficacy of electrical nerve stimulation for chronic musculoskeletal pain: A meta-analysis of randomized controlled trials, **130**, 157
TREND study
Onset and progression of dystonia in complex regional pain syndrome, **130**, 287
Tricyclic antidepressants
Morphine, nortriptyline and their combination vs. placebo in patients with chronic lumbar root pain, **130**, 66
Validity
What does the chronic pain grade questionnaire measure?, **130**, 249
Visceral nociception
Dual role of 5-HT_3 receptors in a rat model of delayed stress-induced visceral hyperalgesia, **130**, 56
Visual input
Using visual illusion to reduce at-level neuropathic pain in paraplegia, **130**, 294
Withdrawal reflex
Descending analgesia – When the spine echoes what the brain expects, **130**, 137

PAIN

Pain 130 (2007) 314–316

www.elsevier.com/locate/pain

Contents to Volume 130 (2007)

Numbers 1–2 – July 2007

EDITORIALS

Igniting the spark?
A.D. Furlan, B.H. Sjölund (Canada, Denmark) 1

What do pressure pipes tell us about spatial summation in pain processing
D. Yarnitsky (Israel) 4

Understanding the role and significance of gender differences in pain and depression in Chinese elders with osteoarthritis
P.M. Nicassio (USA) 6

TOPICAL REVIEW

A re-examination of pain–cognition interactions: Implications for neuroimaging
D.A. Seminowicz, K.D. Davis (Canada) 8

RESEARCH PAPERS

Bradykinin-induced nociceptor sensitisation to heat depends on cox-1 and cox-2 in isolated rat skin
S. Mayer, I. Izydorczyk, P.W. Reeh, B.D. Grubb (Germany, UK) 14

Exploring joint effects of genes and the clinical efficacy of morphine for cancer pain: *OPRM1* and *COMT* gene
C.C. Reyes-Gibby, S. Shete, T. Rakvåg, S.V. Bhat, F. Skorpen, E. Bruera, S. Kaasa, P. Klepstad (USA, Norway) 25

Evidence of diffuse noxious inhibitory controls (DNIC) elicited by cold noxious stimulation in patients with provoked vestibulodynia
U. Johannesson, C. Nygren de Boussard, G. Brodda Jansen, N. Bohm-Starke (Sweden, Denmark) 31

On the repeatability of brush-evoked allodynia using a novel semi-quantitative method in patients with peripheral neuropathic pain
M. Samuelsson, A.-S. Leffler, B. Johansson, P. Hansson (Sweden) 40

Symptoms of distress as prospective predictors of pain-related sciatica treatment outcomes
R.R. Edwards, B. Klick, L. Buenaver, M.B. Max, J.A. Haythornthwaite, R.B. Keller, S.J. Atlas (USA) 47

Dual role of 5-HT_3 receptors in a rat model of delayed stress-induced visceral hyperalgesia
S. Bradesi, L. Lao, P.G. McLean, W.J. Winchester, K. Lee, G.A. Hicks, E.A. Mayer (USA, UK) 56

Morphine, nortriptyline and their combination vs. placebo in patients with chronic lumbar root pain
S. Khoromi, L. Cui, L. Nackers, M.B. Max (USA) 66

Botulinum Toxin type A reduces capsaicin-evoked pain and neurogenic vasodilatation in human skin
V. Tugnoli, J.G. Capone, R. Eleopra, R. Quatrale, M. Sensi, E. Gastaldo, M.R. Tola, P. Geppetti (Italy) 76

Depressed cognitions in chronic pain patients are focused on health: Evidence from a sentence completion task
T. Pincus, R. Santos, S. Morley (UK) 84

A systematic review of the relation between physical capacity and future low back and neck/shoulder pain
H.H. Hamberg-van Reenen, G.A.M. Ariëns, B.M. Blatter, W. van Mechelen, P.M. Bongers (The Netherlands) 93

Effects of vasectomy surgery and meloxicam treatment on faecal corticosterone levels and behaviour in two strains of laboratory mouse
S.L. Wright-Williams, J.-P. Courade, C.A. Richardson, J.V. Roughan, P.A. Flecknell (UK) 108

The role of avoidance, pacing, and other activity patterns in chronic pain
L.M. McCracken, V.M. Samuel (UK) 119

Nociceptive nerve activity in an experimental model of knee joint osteoarthritis of the guinea pig: Effect of intra-articular hyaluronan application
A. Gomis, A. Miralles, R.F. Schmidt, C. Belmonte (Spain, Germany) 126

Descending analgesia – When the spine echoes what the brain expects
P. Goffaux, W.J. Redmond, P. Rainville, S. Marchand (Canada) 137

Development and validation of the Current Opioid Misuse Measure
S.F. Butler, S.H. Budman, K.C. Fernandez, B. Houle, C. Benoit, N. Katz, R.N. Jamison (USA) 144

Efficacy of electrical nerve stimulation for chronic musculoskeletal pain: A meta-analysis of randomized controlled trials
M. Johnson, M. Martinson (USA) 157

doi:10.1016/S0304-3959(07)00339-9

Mast cell degranulation activates a pain pathway underlying migraine headache
D. Levy, R. Burstein, V. Kainz, M. Jakubowski, A.M. Strassman (USA) 166
Spatial summation of mechanically evoked muscle pain and painful aftersensations in normal subjects and fibromyalgia patients
R. Staud, E. Koo, M.E. Robinson, D.D. Price (USA) 177
Gender differences in pain and depressive tendency among Chinese elders with knee osteoarthritis
Y.-F. Tsai (Taiwan, ROC) 188

LETTERS TO THE EDITOR

New advances in pathophysiology of PHN: Are they clinically relevant?
A. Karmarkar (UK) 195
Advisory regarding Faces Pain Scale
C.L. von Baeyer (Canada) 196
Response to professor von Baeyer
C. Benaim (France) 197

Number 3 – August 2007

OBITUARY

Abraham Sunshine. January 3, 1928–January 2, 2007
E. Laska (USA) 199

EDITORIAL

The deconditioning paradigm for chronic low back pain unmasked?
R.J.E.M. Smeets, H. Wittink (The Netherlands) 201

TOPICAL REVIEW

Peripherally-triggered CRPS and dystonia
G.D. Schott (UK) 203

RESEARCH PAPERS

Trait anger expressiveness and pain-induced beta-endorphin release: Support for the opioid dysfunction hypothesis
S. Bruehl, O.Y. Chung, J.W. Burns, L. Diedrich (USA) 208
Dimensions of "unidimensional" ratings of pain and emotions in patients with chronic musculoskeletal pain
A. Huber, A.L. Suman, C.A. Rendo, G. Biasi, R. Marcolongo, G. Carli (Italy) 216
Role of the cysteine protease cathepsin S in neuropathic hyperalgesia
J. Barclay, A.K. Clark, P. Ganju, C. Gentry, S. Patel, G. Wotherspoon, F. Buxton, C. Song, J. Ullah, J. Winter, A. Fox, S. Bevan, M. Malcangio (UK, USA) 225
Mechanical, thermal and formalin-induced nociception is differentially altered in 5-HT_{1A}−/−, 5-HT_{1B}−/−, 5-HT_{2A}−/−, 5-HT_{3A}−/− and 5-HTT−/− knock-out male mice
V. Kayser, I.E. Elfassi, B. Aubel, M. Melfort, D. Julius, J.A. Gingrich, M. Hamon, S. Bourgoin (France, USA) 235
What does the chronic pain grade questionnaire measure?
D. Dixon, B. Pollard, M. Johnston (UK) 249
Hypothalamus and amygdala response to acupuncture stimuli in carpal tunnel syndrome
V. Napadow, N. Kettner, J. Liu, M. Li, K.K. Kwong, M. Vangel, N. Makris, J. Audette, K.K.S. Hui (USA) 254
Mice genetically deficient in neuromedin U receptor 2, but not neuromedin U receptor 1, have impaired nociceptive responses
R. Torres, S.D. Croll, J. Vercollone, J. Reinhardt, J. Griffiths, S. Zabski, K.D. Anderson, N.C. Adams, L. Gowen, M.W. Sleeman, D.M. Valenzuela, S.J. Wiegand, G.D. Yancopoulos, A.J. Murphy (USA) 267
Disuse and physical deconditioning in the first year after the onset of back pain
E.J. Bousema, J.A. Verbunt, H.A.M. Seelen, J.W.S. Vlaeyen, J.A. Knottnerus (The Netherlands) 279
Onset and progression of dystonia in Complex Regional Pain Syndrome
M.A. van Rijn, J. Marinus, H. Putter, J.J. van Hilten (The Netherlands) 287

CLINICAL NOTE

Using visual illusion to reduce at-level neuropathic pain in paraplegia
G.L. Moseley (UK) 294

LETTERS TO THE EDITOR

Accuracy of botulinum toxin injections in myofascial pain. Response to Gobel et al. Pain 2006;125:82–8
P. Reilich, B.G.H. Schoser (Germany) 299
Authors' reply to the letter to the editor by Peter Reilich and Benedikt G.H. Schoser regarding the published article entitled "Efficacy and safety of a single botulinum type A toxin complex treatment (Dysport®) for the relief of upper back myofascial pain syndrome: Results from a randomised double-blind placebo-controlled multicentre study", Pain 2006;125:82–8.
H. Göbel (Germany) 299

Hydrogen sulfide, is it a promise analgesic drug or another inflammatory pain mediator?
T.M. Cunha, W.A. Verri (Brazil) 300
Roles for H_2S in pain processing: Response to Cunha and Verri
A. Kawabata (Japan) 302
What makes FM-pain?
M. Schiltenwolf, P. Henningsen (Germany) 303
Response to the Letter to the Editor of PAIN by M. Schiltenwolf and P. Henningsen
C.J. Vierck (USA) 303

Author Index to Volume 130 306
Subject Index to Volume 130 309
Contents to Volume 130 314